


SIMPLE SELECTIONS™

BY  GRABER.



Simple Selections by Graber offers your customers an uncomplicated mix of products, colors, and options, all at a value-right price. The popular blinds and shades featured in Simple Selections are affordable, easy to clean, easy to customize to fit any window, and manufactured in 72 hours or less so you can serve your customers better.

**UNITED STATES
JULY 2017**

NOTE: For orders of 50 blinds or more, please call customer service for estimated delivery time.

Table of Contents

2" (5.1 cm) Wood Blinds	3
2" (5.1 cm) Premium Faux Wood Blinds.	4-5
2" (5.1 cm) Faux Wood Blinds	6-7
Light Filtering Cellular Shades	8
Blackout Cellular Shades	9
Roller and Solar Measurement Guide	10
Vinyl Roller Shades	11
Fabric and Natural Roller Shades.	11
Solar Roller Shades	12
Solar Roller Premium Shades.	12
1" (2.5 cm) Aluminum Blinds	13
1" (2.5 cm) Vinyl Blinds	13
3½" (8.9 cm) Vertical Blinds	14-15
General Information	16-17

2" (5.1 cm) Wood Blinds

Product Specifications

- 2" (5.1 cm) slats crafted of the finest North American hardwood
 - Cord tilt left or right, cord lift left or right
 - Heavy duty steel headrail
 - Rectangular bottomrail
 - Standard route holes
- Minimum depth required for inside mount: $\frac{3}{4}$ " (1.9 cm)

Size Specifications

Minimum blind width: 7" (17.8 cm) outside mount
 $7\frac{1}{2}$ " (19.1 cm) inside mount

Maximum blind width (single blind): 96" (243.9 cm)
 Maximum blind width (multiple blinds): 120" (304.8 cm)

Minimum blind height: 10" (25.4 cm)
 Maximum blind height:

Width: 7" to 72" (17.8 to 182.9 cm): 120" (304.8 cm)
 Width: $72\frac{1}{16}$ " to 78" (183.1 to 198.2 cm): 108" (274.4 cm)
 Width: $78\frac{1}{16}$ " to 84" (198.3 to 213.4 cm): 102" (259.1 cm)
 Width: $84\frac{1}{16}$ " to 90" (213.6 to 228.6 cm): 96" (243.9 cm)
 Width: $90\frac{1}{16}$ " to 96" (228.8 to 243.9 cm): 90" (228.6 cm)

Exceptions:
 7" (17.8 cm) to $11\frac{15}{16}$ " (30.4 cm) center tilt only; no lift
 12" (30.5 cm) to 16" (40.7 cm) standard or reverse standard controls only
 $16\frac{1}{16}$ " (40.8 cm) minimum for same side controls

Factory deduction for inside mount: $\frac{1}{2}$ " (1.3 cm)

Maximum single valance width: $100\frac{1}{4}$ " (254.7 cm) inside mount; $98\frac{3}{8}$ " (249.9 cm) outside mount (continuous valances wider than listed dimensions will be two or more sections spliced together).

Options

Multiple Blinds on One Headrail:


Two on one headrail (left of the heavy line): \$33 surcharge
 Three on one headrail (left of the heavy line): \$46 surcharge
 Blind panels will have $\frac{1}{4}$ " (.7 cm) gap between them.

Valances:

3" (7.7 cm) standard valance: no charge
 $3\frac{1}{2}$ " (8.9 cm) decorative valance: see price chart above for surcharge

Valance returns: standard valance return sizes available
 $\frac{1}{2}$ " to 8" (1.3 to 20.4 cm) ($2\frac{7}{8}$ " (7.3 cm) default);
 full recess depth $3\frac{1}{4}$ " (8.3 cm)
 decorative valance return sizes available
 $\frac{1}{2}$ " to 8" (1.3 to 20.4 cm) ($2\frac{7}{8}$ " (7.4 cm) default);
 full recess depth $3\frac{1}{2}$ " (8.9 cm)

3" (7.7 cm) Standard Valance $3\frac{1}{2}$ " (8.9 cm) Decorative Valance



Colors

Acorn.....	1849	Snowstorm	1318	Winter	1837
Fig	1851	Wheatfields	1850		

2" (5.1 cm) Premium Faux Wood Blinds

Product Specifications

- Steel headrail and box brackets provide superior durability
- NoHoles™ slats for total privacy
- Smooth cord tilt for faster and tighter closure
- Faux wood slats are moisture proof, perfect for kitchens and bathrooms
- Cord tilt on the left side only
- Cord lift on the right side only
- Valance options include 2½" (6.4 cm) standard valance or 3¼" (8.3 cm) decorative valance (no additional charge)
- Special valance width available up to 108" (274.3 cm) without returns or 106½" (270.5 cm) with returns
- ½" to 3½" (1.3 to 8.9 cm) returns available on outside mount (2¾" (7.0 cm) default); optional ½" to 1¾" (1.3 to 1.4 cm) returns available on inside mount (1" (2.5 cm) default)

Size Specifications

Minimum blind width: 12½" (31.8 cm) outside mount
13" (33.0 cm) inside mount

Maximum blind width: 71½" (181.6 cm)

Minimum blind height: 18" (45.7 cm)

Maximum blind height: 78" (198.1 cm) (96" (243.8 cm) on select sizes)

Mounting depth requirements (inside mount): Minimum 1" (2.5 cm) (screw holes on the side of the bracket have to be used to get to this minimum depth)

Full recess depth (headrail and brackets)

Headrail only: 2⅝" (6.7 cm)

Headrail with standard valance: 3⅙" (7.9 cm)

Headrail with decorative valance: 3⅞" (8.7 cm)

Factory deduction for inside mount: ½" (1.3 cm)

Colors

Coconut C630

Options

2½" (6.4 cm) Standard Valance

3¼" (8.3 cm) Decorative Valance



2" (5.1 cm) Premium Faux Wood Blinds

Product Specifications

- Steel headrail and box brackets provide superior durability
- NoHoles™ slats for total privacy
- Smooth cord tilt for faster and tighter closure
- Faux wood slats are moisture proof, perfect for kitchens and bathrooms
- Cord tilt on the left side only
- Cord lift on the right side only
- Valance options include 2½" (6.4 cm) standard valance or 3½" (8.9 cm) decorative valance (no additional charge)
- Special valance width available up to 108" (274.3 cm) without returns or 106½" (270.5 cm) with returns
- ½" to 3½" (1.3 to 8.9 cm) returns available on outside mount (2¾" (7.0 cm) default); optional ½" to 1¾" (1.3 to 1.4 cm) returns available on inside mount (1" (2.5 cm) default)

Size Specifications

Minimum blind width: 12½" (31.8 cm) outside mount
13" (33.0 cm) inside mount
Maximum blind width: 71½" (181.6 cm)
Minimum blind height: 18" (45.7 cm)
Maximum blind height: 78" (198.1 cm) (96" (243.8 cm) on select sizes)
Mounting depth requirements (inside mount): Minimum 1" (2.5 cm) (screw holes on the side of the bracket have to be used to get to this minimum depth)
Full recess depth (headrail and brackets)
Headrail only: 2⅝" (6.7 cm)
Headrail with standard valance: 3⅞" (7.9 cm)
Headrail with decorative valance: 3⅞" (8.7 cm)
Factory deduction for inside mount: ½" (1.3 cm)

Colors

Barley C912 Honey C307 Mahogany C536 Natural..... C007

2" (5.1 cm) Faux Wood Blinds

Product Specifications

- 500 hours UV-A light fastness
- Steel headrail (1½" x 2¼" (3.8 x 5.7 cm))
- Rectangular bottomrail
- Cord tilt left, cord lift right
- Standard route holes
- Valance options: 2½" (6.4 cm) standard or 3¼" (8.3 cm) decorative valance included in the blind price

Minimum depth required for inside mount: 1" (2.5 cm)

Depth requirements for flush mounting:

No valance: 2⅝" (6.7 cm)

Standard valance: 3⅛" (7.9 cm)

Decorative valance: 3¼" (8.3 cm)

Size Specifications

Minimum blind width: 11½" (6.4 cm) outside mount

12" (30.5 cm) inside mount

Maximum blind width: 77½" (196.9 cm)

Minimum blind height: 14" (35.6 cm)

Maximum blind height: 78" (198.1 cm) (96" (243.8 cm) available on select widths)

Factory deduction for inside mount: ½" (1.3 cm)

Valance width: up to 108" (274.3 cm) without returns; 106½" (270.5 cm) with returns; splicing is not available.

Valance returns: ½" to 3½" (1.3 to 8.9 cm) returns available on outside mount (2¾" (7.0 cm) standard); optional ½" to 1¾" (1.3 to 4.4 cm) returns available on inside mount (1" (1.3 cm) standard).

Colors

Coconut C630

White Silk C803

2" (5.1 cm) Faux Wood Blinds

Product Specifications

- 500 hours UV-A light fastness
- Steel headrail (1½" x 2¼" (3.8 x 5.7 cm))
- Rectangular bottomrail
- Cord tilt left, cord lift right
- Standard route holes
- Valance options: 2½" (6.4 cm) standard or 3¼" (8.3 cm) decorative valance included in the blind price

Minimum depth required for inside mount: 1" (2.5 cm)

Depth requirements for flush mounting:

No valance: 2⅝" (6.7 cm)

Standard valance: 3⅛" (7.9 cm)

Decorative valance: 3¼" (8.3 cm)

Size Specifications

Minimum blind width: 11½" (6.4 cm) outside mount
12" (30.5 cm) inside mount

Maximum blind width: 77½" (196.9 cm)

Minimum blind height: 14" (35.6 cm)

Maximum blind height: 78" (198.1 cm)

Factory deduction for inside mount: ½" (1.3 cm)

Valance width: Up to 108" (274.3 cm) without returns;
106½" (270.5 cm) with returns.
Splicing is not available.

Valance returns: ½" to 3½" (1.3 to 8.9 cm) returns available
on outside mount (2¾" (7.0 cm) standard);
optional ½" to 1¾" (1.3 to 4.4 cm)
returns available on inside mount
(1" (1.3 cm) standard).

Colors

MapleC013


WalnutC012

Options

2½" (6.4 cm) Standard Valance



3¼" (8.3 cm) Decorative Valance



Light Filtering Cellular Shades

Product Specifications

- $\frac{3}{8}$ " (1.0 cm) single cell honeycomb design provides added insulation
- Available as corded or cordless operating systems
- Easy-mounting hidden brackets for simple installation and a clean look
- Hidden cords provide safety and improved privacy
- Durable, color coordinated vinyl headrail (1 $\frac{1}{16}$ " x 1 $\frac{5}{16}$ " (4.3 x 4.2 cm))
- Soft fabric shades filter light
- Cord controls on right or left side
- Same fabric color on front and back of shade
- Installation hardware included

Size Specifications

Corded Shade

Minimum blind width: 9" (22.9 cm) outside mount

9 $\frac{1}{2}$ " (24.1 cm) inside mount

Maximum blind width: 96" (243.8 cm)

Minimum blind height: 9" (22.9 cm)

Maximum blind height: 96" (243.8 cm)

Cordless Shade

Minimum blind width: 12" (30.5 cm) outside mount

12 $\frac{1}{2}$ " (31.8 cm) inside mount

Maximum blind width: 84" (213.4 cm)

Minimum blind height: 9" (22.9 cm)

Maximum blind height: 72" (182.9 cm)

Colors

Alabaster	1402	Truffle	1403
Latte	1404	White	1401

Blackout Cellular Shade

Product Specifications

- $\frac{9}{16}$ " (1.4 cm) single cell honeycomb design provides added insulation
- Available as corded or cordless operating systems
- Easy-mounting hidden brackets for simple installation and a clean look
- Hidden cords provide safety and improved privacy
- Durable, color coordinated vinyl headrail
- ($1\frac{1}{16}$ " x $1\frac{5}{8}$ " (4.3 x 4.2 cm))
- Blackout fabrics; perfect for bedrooms or media rooms
- Cord controls on right or left side
- Neutral to the street side
- Installation hardware included

Size Specifications

Corded Shade

Minimum blind width: 9" (22.9 cm) outside mount
9½" (24.1 cm) inside mount

Maximum blind width: 96" (243.8 cm)

Minimum blind height: 9" (22.9 cm)

Maximum blind height: 96" (243.8 cm)

Cordless Shade

Minimum blind width: 12" (30.5 cm) outside mount
12½" (31.8 cm) inside mount

Maximum blind width: 84" (213.4 cm)


Minimum blind height: 9" (22.9 cm)

Maximum blind height: 72" (182.9 cm)

Colors

Cocoa	2802
Sandstone	2801
White Dove	2800

Roller and Solar Measurement Guide



TIP: If ordering as **inside mount**, measure the window opening width from left to right, in 3 different places. Choose the narrowest measurement and deduct $\frac{1}{8}$ " (0.4 cm) from that measurement for size to order. The size you receive will be the size ordered as the bracket to bracket measurement.

If ordering as **outside mount**, you will receive the size ordered as the fabric measurement to assure your window opening is fully covered when installed. You may want to add $1\frac{1}{2}$ " (3.9 cm) to each side (total 3" (7.7 cm)) to the width for additional privacy and light control.

Vinyl Roller Shades

Product Specifications

- Durable 12 mil blackout vinyl shade
- Cordless design for easy operation and safety
- Lightweight vinyl shade can be cleaned for easy maintenance
- Installation hardware included

Size Specifications

Minimum width: 15" (38.1 cm) inside mount
13³/₄" (34.9 cm) outside mount
Maximum blind width: 72" (182.9 cm) inside mount
70³/₄" (179.7 cm) outside mount
Flush mount requirements: 2" (5.1 cm)
Minimum recess space: 1" (2.5 cm)

Fabric and Natural Roller Shades

Product Specifications

- Roller shade in fabric and natural material to enhance any décor
- Natural and fabric roller come with a color coordinated continuous chain loop on right side
- Installation hardware included

Size Specifications

Minimum blind width: 15" (38.1 cm) inside mount
13³/₄" (34.9 cm) outside mount
Maximum blind width: 60" (152.4 cm) inside mount
58³/₄" (149.2 cm) outside mount
Flush mount requirements: 2⁵/₈" (6.0 cm)
Minimum recess space: 1¹/₂" (3.8 cm)
Continuous chain loop: 40" (101.6 cm)

Colors

Vinyl Roller	Fabric Roller	Natural Roller
Cream 0002V	Java 0011F	Bermuda 0009N
Gray 0008V	Oatmeal 0010F	Havana 0005N
White 0001V		Panama 0004N

Solar Roller Shades

Product Specifications

- Durable mesh shade blocks 85%–90% of damaging UV rays
- Manage glare and maintain outward view
- Color coordinated continuous chain loop on right side
- Installation hardware included
- Same color on front and street side

Size Specifications

Minimum blind width: 15" (38.1 cm) inside mount
13¾" (34.9 cm) outside mount
Maximum blind width: 72" (182.9 cm) inside mount
70¾" (179.7 cm) outside mount
Flush mount requirements: 2½" (6.4 cm)
Minimum recess space: 1½" (3.8 cm)
Continuous chain loop: 44" (111.8 cm)

Solar Roller Premium Shades

Product Specifications

- Durable mesh shade blocks 85%–90% of damaging UV rays
- Manage glare and maintain outward view
- Color coordinated continuous chain loop on right side
- Installation hardware included
- Same color on front and street side

Size Specifications

Minimum blind width: 15" (38.1 cm) inside mount
13¾" (34.9 cm) outside mount
Maximum blind width: 72" (182.9 cm) inside mount
70¾" (179.7 cm) outside mount
Flush mount requirements: 2½" (6.4 cm)
Minimum recess space: 1½" (3.8 cm)
Continuous chain loop: 44" (111.8 cm)

Colors

Solar Shades		Premium Solar Shades	
Chocolate	0003S	Charcoal	0004S
Cream	0002S	Espresso	0007S
		Pebble	0006S

1" (2.5 cm) Aluminum Blinds

Product Specifications

- 1" (2.5 cm) 6-gauge (0.006" (.02 mm)) room darkening slats
- Premium, color coordinated steel headrail (1" x 1½" (2.5 x 3.8 cm)) and bottomrail
- Easy-mounting hidden brackets for simple installation and a clean look
- Wand tilt left, cord lift right

Size Specifications

Minimum blind width: 14" (35.6 cm) outside mount
14½" (36.8 cm) inside mount
Maximum blind width: 86" (218.4 cm)
Minimum blind height: 6" (15.2 cm)
Maximum blind height: 84" (213.4 cm)
Factory deduction for inside mount: ½" (1.3 cm)
Minimum depth requirement:
Inside mount: ¾" (1.9 cm)
Flush mount: 1¾" (4.4 cm)

Colors

Alabaster	112	Char Brown	062
Beige Pearl	328	Wheat	710
Black	156	White	205
Brushed Aluminum	121		

1" (2.5 cm) Vinyl Blinds

Product Specifications

- Premium, color coordinated steel headrail (1" x 1½" (2.5 x 3.8 cm)) and bottomrail
- Easy-mounting hidden brackets for simple installation and a clean look
- Wand tilt left, cord lift right

Size Specifications

Minimum blind width: 17" (43.2 cm) outside mount
17½" (44.5 cm) inside mount
Maximum blind width: 86" (218.4 cm)
Minimum blind height: 6" (15.2 cm)
Maximum blind height: 84" (213.4 cm)
Factory deduction for inside mount: ½" (1.3 cm)
Minimum depth requirement:
Inside mount: ¾" (1.9 cm)
Flush mount: 1¾" (4.4 cm)

Colors

Alabaster	112	Cornflower Blue	882	Mauve	123
Black	156	Hunter Green	184	Wheat	710
Bronze	748	Light Gray	193	White	205

3½" (8.9 cm) Vertical Blinds

Product Specifications

- Reversible white painted steel headrail (1½" x 1¼" (3.8 x 3.2 cm))
- One way draw right or left
- Wand control only—wand length 27½" (69.9 cm)
- Channel panel valance with 5½" (14.0 cm) returns included

Size Specifications

Minimum blind width: 13" (33.0 cm)
 Maximum blind width: 120" (304.8 cm)
 Minimum blind height: 6" (15.2 cm)
 Maximum blind height: 104" (264.2 cm)
 Minimum depth requirements for flush mount:
 Flush mount track: 2¾" (7.0 cm)
 Louvers: 3¾" (9.5 cm)
 Valance: 4⅝" (11.7 cm)

Chart 1: Crown

Colors

Alabaster 3073	Pearl White 3075
Beige 3076	White 3056

Chart 2: Chams, Dune, Maui

Colors

Chams	Dune	Maui
White 9090	Cocoa 3473	Basil 3177
	Toasty Grey 3472	Shell 3171
		Tan 3173
		White Silk 3170

3½" (8.9 cm) Vertical Blinds

Chart 3: Curved*, Mont Blanc, Rustic, Suede

Colors

Curved*	Mont Blanc	Rustic	Suede
Fontana Crème 9076	Bark 6776	Coffee 6910	Cocoa 6443
Sculptured Beige 9071		Cream 6915	

*Curved vanes are always high side right.

General Information

Ladder Count Tables

Aluminum Ladder Count Table

Finished Blind Width inches (cm)	Number of Ladders	Number of Lifts
14 to 20 ¹ / ₁₆ (35.6 to 53.2)	2	2
21 to 37 (53.4 to 94.0)	2	2
37 ¹ / ₁₆ to 61 (94.2 to 155.0)	3	2
61 ¹ / ₁₆ to 85 (155.1 to 215.9)	4	4
85 ¹ / ₁₆ to 86 (216.1 to 218.5)	5	4

NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity.

EXAMPLE: 30" (76.2 cm) width inside mount blind minus 1/2" (1.3 cm) deduction equals 29 1/2" (75.0 cm) finished blind width.

Premium Vinyl Ladder Count Table

Finished Blind Width inches (cm)	Number of Ladders	Number of Lifts
17 to 23 (216.1 to 218.5)	2	2
23 ¹ / ₁₆ to 30 (216.1 to 218.5)	2	2
30 ¹ / ₁₆ to 37 (216.1 to 218.5)	3	2
37 ¹ / ₁₆ to 45 1/2 (216.1 to 218.5)	3	3
45 ¹ / ₁₆ to 51 (216.1 to 218.5)	5	3
51 ¹ / ₁₆ to 58 (216.1 to 218.5)	5	3
58 ¹ / ₁₆ to 65 (216.1 to 218.5)	5	3
65 ¹ / ₁₆ to 72 (216.1 to 218.5)	5	3
72 ¹ / ₁₆ to 79 (216.1 to 218.5)	6	4
79 ¹ / ₁₆ to 86 (216.1 to 218.5)	6	4

NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity.

EXAMPLE: 30" (76.2 cm) width inside mount blind minus 1/2" (1.3 cm) deduction equals 29 1/2" (75.0 cm) finished blind width.

Faux Wood Ladder Count Table

Finished Blind Width inches (cm)	Number of Ladders	Number of Lifts
11 1/2 to 14 1/2 (29.3 to 36.9)	2	2
14 1/2 to 18 1/2 (37.2 to 47.0)	2	2
18 1/2 to 23 1/2 (47.4 to 59.7)	2	2
23 1/2 to 28 1/2 (60.1 to 72.4)	3	2
28 1/2 to 33 1/2 (72.8 to 85.1)	3	2
33 1/2 to 38 1/2 (85.5 to 97.8)	4	4
38 1/2 to 43 1/2 (98.2 to 110.5)	4	4
43 1/2 to 48 1/2 (110.9 to 123.2)	5	3
48 1/2 to 52 1/2 (123.6 to 133.4)	5	3
52 1/2 to 57 1/2 (133.7 to 146.1)	5	3
57 1/2 to 62 1/2 (146.4 to 158.8)	6	4
62 1/2 to 67 1/2 (159.1 to 171.5)	6	4
67 1/2 to 72 1/2 (171.8 to 184.2)	7	5
72 1/2 to 77 1/2 (184.5 to 196.9)	7	5

NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity.

EXAMPLE: 30" (76.2 cm) width inside mount blind minus 1/2" (1.3 cm) deduction equals 29 1/2" (75.0 cm) finished blind width.

Wood Ladder Count Table

Finished Blind Width inches (cm)	Number of Ladders	Number of Lifts
9 to 11 ¹ / ₁₆ (22.9 to 30.4)	2	2
12 to 24 (30.5 to 61.0)	2	2
24 ¹ / ₁₆ to 36 (61.2 to 91.5)	2	2
36 ¹ / ₁₆ to 60 (91.6 to 152.4)	3	2
60 ¹ / ₁₆ to 78 (152.6 to 198.2)	4	4

NOTE: Maximum spacing between ladders is 24" (61.0 cm).
Standard control positions: lift right and tilt left.

Lightblocker Vinyl Ladder Count Table

Finished Blind Width inches (cm)	Number of Ladders	Number of Lifts
18 to 24 (45.8 to 61.0)	2	2
24 ¹ / ₁₆ to 30 (61.2 to 76.2)	3	2
30 ¹ / ₁₆ to 36 (76.4 to 91.5)	3	2
36 ¹ / ₁₆ to 42 (91.6 to 106.7)	3	3
42 ¹ / ₁₆ to 48 (106.9 to 122.0)	5	3
48 ¹ / ₁₆ to 54 (122.1 to 137.2)	5	3
54 ¹ / ₁₆ to 60 (137.4 to 152.4)	5	3
60 ¹ / ₁₆ to 66 (152.6 to 167.7)	5	3
66 ¹ / ₁₆ to 72 (167.8 to 182.9)	5	3

NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity.

EXAMPLE: 30" (76.2 cm) width inside mount blind minus 3/8" (1.0 cm) deduction equals 29 3/8" (75.3 cm) finished blind width.

Privacy Faux Wood Ladder Count Table

Finished Blind Width inches (cm)	Number of Ladders	Number of Lifts
12 1/2 to 18 1/2 (31.8 to 47.0)	2	4
18 1/2 to 23 1/2 (47.4 to 59.7)	2	4
23 1/2 to 29 1/2 (60.1 to 75.0)	3	4
29 1/2 to 35 1/2 (75.3 to 90.2)	3	4
35 1/2 to 41 1/2 (90.5 to 105.5)	4	4
41 1/2 to 47 1/2 (105.8 to 120.7)	4	4
47 1/2 to 53 1/2 (121.0 to 135.9)	5	6
53 1/2 to 59 1/2 (136.3 to 151.2)	5	6
59 1/2 to 65 1/2 (151.5 to 166.4)	6	6
65 1/2 to 71 1/2 (166.7 to 181.7)	6	6

NOTE: On all inside mount blinds, take deduction BEFORE determining ladder and lift quantity.

EXAMPLE: 30" (76.2 cm) width inside mount blind minus 1/2" (1.3 cm) deduction equals 29 1/2" (75.0 cm) finished blind width.

General Information

3½" (8.9 cm) Vane Stacking Chart

Number of Vanes	C.O. inches (cm)	F.B.W. inches (cm)
5	12 (30.5)	16 (40.6)
6	14¼ (37.5)	19½ (48.6)
7	17¾ (44.1)	22¼ (56.5)
8	20 (50.8)	25¾ (64.5)
9	22¾ (57.5)	28½ (72.4)
10	25¼ (64.1)	31¾ (79.7)
11	28¼ (71.8)	34¾ (88.6)
12	30¾ (77.8)	38 (96.5)
13	33¼ (84.5)	41½ (104.5)
14	35¾ (89.9)	44¼ (112.4)
15	38½ (97.8)	47¾ (120.3)
16	41¼ (104.5)	50½ (128.3)

Number of Vanes	C.O. inches (cm)	F.B.W. inches (cm)
17	43¾ (111.1)	53¾ (136.2)
18	46¾ (117.8)	56¾ (144.1)
19	49 (124.5)	59¾ (152.1)
20	51¼ (131.4)	63 (160.0)
21	54¾ (138.1)	66¾ (168.0)
22	57 (144.8)	69¾ (175.9)
23	59¾ (151.4)	72¾ (184.5)
24	62¼ (158.1)	75¾ (192.4)
25	65¼ (165.7)	79 (200.7)
26	68 (172.7)	82¼ (208.9)
27	69¾ (177.2)	85¼ (216.5)

Number of Vanes	C.O. inches (cm)	F.B.W. inches (cm)
28	72¾ (183.8)	88¾ (225.1)
29	74¾ (189.9)	92 (233.7)
30	77¼ (196.2)	94¼ (239.4)
31	79¾ (202.6)	98½ (250.2)
32	82¼ (208.9)	101¼ (258.4)
33	85 (215.9)	104¾ (266.4)
34	89¾ (227.0)	108 (274.3)
35	92¾ (234.0)	111¼ (282.6)
36	95¾ (242.3)	114½ (290.8)
37	98¾ (249.2)	117¾ (299.1)
38	99¾ (253.7)	120 (304.8)

SIMPLE
SELECTIONS™
BY GRABER

For orders of 50 blinds or more, please call
customer service for estimated delivery time.

19-0401-08 (07/17) 17-5487|S17-5079